

# HSR 7 Reference Guide

## Immunization Requirements 2010-2011 School Year

### 3 year olds and 4 year olds (PRE K)

4 doses of DTP, DTaP, DT

3 doses of Polio

1 dose of MMR on/after 1<sup>st</sup> birthday

1 dose of HIB on/after 15 months **OR** 3 doses with the 3<sup>rd</sup> dose given on/after 1<sup>st</sup> birthday, and at least 2 months since dose #2

1 dose of \*PCV on/or after 24 months of age **OR** 4 doses of PCV with one given after 1<sup>st</sup> birthday

3 doses of Hepatitis B

1 dose of Varicella on/after 1<sup>st</sup> birthday (if the child has NOT had chickenpox)

2 doses of Hepatitis A on/after 1<sup>st</sup> birthday (must allow 18 months between doses)

✓ HIB and PCV7 **not** routinely administered to children  $\geq$  5 years of age.

### Kindergarten – First Grade

5 doses of DTP, DTaP, DT with one on/after 4<sup>th</sup> birthday **OR** 4 doses if one dose is on/after the 4<sup>th</sup> birthday

4 doses of °Polio with one on/after 4<sup>th</sup> birthday **OR** 3 doses if one dose is on/after 4<sup>th</sup> birthday

2 doses of MMR on/after 1<sup>st</sup> birthday

3 doses of Hepatitis B

2 doses of Varicella on/after 1<sup>st</sup> birthday (if the child has NOT had chickenpox)

2 doses of Hepatitis A on/after 1<sup>st</sup> birthday (must allow 18 months between doses)

✓ Ages 7 years and older, 3 doses of DTP containing vaccine with one dose on/after 4<sup>th</sup> birthday.

### Second Grade – Sixth Grade

5 doses of DTP, DTaP, DT, Td, Tdap with one on/after 4<sup>th</sup> birthday **OR** 4 doses if one dose is on/after the 4<sup>th</sup> birthday

4 doses of °Polio with one on/after 4<sup>th</sup> birthday **OR** 3 doses if one dose is on/after 4<sup>th</sup> birthday

2 doses of Measles, 1 dose of Mumps and 1 dose of Rubella on/after 1<sup>st</sup> birthday

3 doses of °Hepatitis B

1 dose of Varicella on/after 1<sup>st</sup> birthday (if the child has NOT had chickenpox)

✓ Ages 7 years and older, 3 doses of DTP containing vaccine with one dose on/after 4<sup>th</sup> birthday.

### Seventh Grade

3 doses of ^DTP, DTaP, DT, Td, Tdap with one on/after 4<sup>th</sup> birthday, one dose of Tdap is required within the last 5 years. Td is acceptable in lieu of Tdap if a contraindication to Pertussis exists.

4 doses of ^°Polio with one on/after 4<sup>th</sup> birthday **OR** 3 doses if one dose is on/after 4<sup>th</sup> birthday

2 doses of Measles, 1 dose of Mumps and 1 dose of Rubella on/after 1<sup>st</sup> birthday

3 doses of °Hepatitis B

2 doses of #Varicella on/after 1<sup>st</sup> birthday (if the child has NOT had chickenpox)

1 dose of Meningococcal

### Eighth Grade

3 doses of ^DTP, DTaP, DT, Td, Tdap with one on/after 4<sup>th</sup> birthday, one dose of Tdap is required within the last 10 years. Td is acceptable in lieu of Tdap if a contraindication to Pertussis exists.

4 doses of ^°Polio with one on/after 4<sup>th</sup> birthday **OR** 3 doses if one dose is on/after 4<sup>th</sup> birthday

2 doses of Measles, 1 dose of Mumps and 1 dose of Rubella on/after the 1<sup>st</sup> birthday

3 doses of °Hepatitis B

2 doses of #Varicella on/after 1<sup>st</sup> birthday (if the child has NOT had chickenpox)

1 dose of Meningococcal

### Ninth Grade – Twelfth Grade

3 doses of ^DTP, DTaP, DT, Td, Tdap with one on/after 4<sup>th</sup> birthday, one dose of Tdap is required within the last 10 years. Td is acceptable in lieu of Tdap if a contraindication to Pertussis exists.

4 doses of ^°Polio with one on/after 4<sup>th</sup> birthday **OR** 3 doses if one dose is on/after 4<sup>th</sup> birthday

2 doses of Measles, 1 dose Mumps and 1 dose Rubella on/after the 1<sup>st</sup> birthday

3 doses of °Hepatitis B

1 dose of #Varicella on/after 1<sup>st</sup> birthday (if the child has NOT had chickenpox)

This chart summarizes the vaccine requirements in Title 25 Health Services, §§ 97.61-97.72 of the Texas Administrative Code. This chart is not intended as a substitute for consulting the Texas Administrative code, which has other provisions and details. [http://info.sos.state.tx.us/pls/pub/readtac\\$ext.ViewTACPage\\_new\\_5&tu\\_25&pt\\_1&ch\\_97&sch\\_B&rl\\_Y](http://info.sos.state.tx.us/pls/pub/readtac$ext.ViewTACPage_new_5&tu_25&pt_1&ch_97&sch_B&rl_Y)

**All vaccine doses administered less than or equal to four days before the minimum interval of age shall be counted as valid.**

The mm/dd/yy that the vaccination was received must be recorded on all school immunization records created or updated after September 1, 1991.

\* Other schedules may apply

^ Doses of DTaP/Polio administered month of or prior to 4<sup>th</sup> birthday are acceptable for students in 7<sup>th</sup>-12<sup>th</sup> grade (students enrolled in school prior to 8/1/04)

° Does not need a dose of Polio after the 4<sup>th</sup> birthday **IF** 4 doses of clearly documented combination IPV and OPV were given before 4 years of age.

♦ Polio not required for students 18 years or older

⊕ 2 doses of adult formulation Hepatitis B (Recombivax) administered to a child 11-15 years old is acceptable if manufacturer and mL are clearly documented.

# Two doses of Varicella are required if child is  $\geq$  13 years old when 1<sup>st</sup> dose is given. Previous Chickenpox illness may be documented with a written statement from a physician, school nurse, or the child's parent or guardian containing wording such as: "This is to verify that (name of student) had Varicella disease (chickenpox) on or about (date) and does not need Varicella vaccine." This written statement will be acceptable in place of any and all Varicella vaccine doses required.